Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/CA05/000209

International filing date: 18 February 2005 (18.02.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 10/783,110


Filing date: 19 February 2004 (19.02.2004)

Date of receipt at the International Bureau: 29 June 2005 (29.06.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





THIO BY OUT OF HEND CANADES (CV)

TO ALL TO WHOM THESE: PRESENTS SHALL COMES
UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

June 14, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 10/783,110 FILING DATE: February 19, 2004

By Authority of the

COMMISSIONER OF PATENTS AND TRADEMARKS

W. MONTGOMERY

Certifying Officer

			A	PTC	VSB/05 (03-01)				
Please type a plus eign (+) Inside this box	do this box U.S. Palent end Trademark Office; U.S. DEPARTMENT OF COMMERCE Lt of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.				S COMMEDCE				
Stillder the Paperwork Reduction Act of 1905	, no persons are required to respo	nd to a collection o	f information unique a cu	plays a valid OWE	COMPON NUMBER .				
UTILIT	•		Attorney Docket No.						
PATENT APPL		First Inventor							
TIMPHAGE		TWO	•						
		Title	W. J. obol No.						
(Only for new nonprovisional applications under 37 CFR 1.53(b)) Express Mali Label No. Assistant Commissioner for Patents									
APPLICATION EL	EMENTS .	ADDRE	SS TO: Box Pa	stant Application Inglon, DC 2023					
See MPEP chapter 600 concerning utili	y petent application contents.								
1. Fee Transmittal Form (e.g., i	7TO/SB/17)	7. CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix)							
Applicant claims small entity	Applicant claims small entity status.			g Nucleotide and/or Amino Acid Sequence Submission					
F-Zi Chandilanian 17	See 37 CFR 1.27.			(If applicable, all necessary) a. Computer Readeble Form (CRF)					
3. I conferred arrangement set forth batc	w) ————		cification Sequence L	isting on:	Į.				
Come Reference to Reinted Applications : C.D. ROM or CD-R (2 copies); or									
Statement Regarding Fed sponsored K & D Reference to sequence listing, a table, ii. paper									
or a computer program its - Background of the Invent	or a computer program listing appendix			G. Statements verifying identity of above copies					
 Brief Summary of the ITM 	ardion	ACCOMPANYING APPLICATION PARTS							
- Brief Description of the D - Detailed Description	istingiĝo (1 mon)	9. Assignment Papers (cover sheet & document(s))							
- Claim(s) - Abstract of the Disclosure		10. 37 CFR 3.73(b) Statement Power of Attorney							
		11. English Translation Document (# applicable)							
4. 4 Drawing(s) (35 U.S.C. 113		12	Information Disclos	en.	Copies of IDS Citations				
5. Oath or Declaration [Total Pages]] Statement (IDS)/P10-1449									
TX stands and state of course					3)				
(Should be specifically itemized)					(a)				
i. DELETION OF INVENTOR(S) Signed statement ettached detains inventor(s) Nonpublication Request under 35 U.S.C. 122									
named in the prior application, see 37 CPR 18. Assessment must attach form PTO/SE				PTO/SB/35					
	or its equivalent.								
8. Application Data Sheet. See 37 CFR 1.76									
/18. If a CONTINUING APPLICATION, check appropriate box, and supply the regulative information below and in a preliminary amendment,									
or in an Application Data Sheet under 37 CFR 1.70:									
Constitution Const									
Prior application information: Examinar For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which an ceth or declaration is supplied under For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application and is hereby incorporated by reference. The first application and it is the disclosure of the accompanying continuation or divisional application and is thereby incorporated by reference.									
Box 5b, is considered a part of the disclosure of the accompanying continuation of divisionin apparent									
	19. CORRESPO	NDENCE ADDR	E88						
Customer Number or Ber Code Label	(Insert Customer No. or Allex	h bercodo label han	" <i>~</i> [_]	Commerceation con ad	kiress below				
					•				
Name	HOHAS AGAP	AUE 3							
	744 BRIDGE STREET								
Address				Zip Code	95991				
City Yu	BA CITY	State	CA.		73.11				
Country	15A	Telephone	530-218-402	0 Fax					
	Peristration No. (Attorney/Agent)								
Name (PrintlType) TRO		₹ <u>`</u>		Date /	2-19-04				
Signature .	taluatory.	-	nounding upon the needs						

Burden Hour Statement: This form is estimated to take 0.2 hould be complete. Time will vary depending upon the needs of the individual case. Any complete to the emount of time you are required to complete this form should be sent to the Chief information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

BEST AVAILABLE COPY

٠.۵١-						u.s. <u>i</u>	Patent,	A and Tra		
					pondu	12:00	P (1)	100	malete H Known	A STATE OF THE PARTY OF THE PAR
		RANSM			-	121				
		No. of the			Applic	7	Numb	*	·	
ــنر ا	8	r FY 200	19	-	FEO					46
ဖ	7.0		to the second of		First)	lene	d Invi	ritor	THOMAS AGAPIAD	, CD
huse simuses.	1.000	es en electric de annual (Exam	ner i	فرنظ			
Amon	deine en	ell erelly elebra: See 37	CFR 1.27		Groun	At	init			
wasan	OUNT OF	PAYMENT (S)		•	Anor	D	ockel	No.		
يېپیادست	ritria avial	and the second								
METHO	DOPPA	YMENT/Checkled the	(apply)	سيم عد عنه		ماستة المراجعة	FL	ECA	LCULATION (continued)	
		d Tilliam Tion	None	3. A	DDITT	ONA	LFE	E8		
Clored E	il. einen en	9 L 000 L C	- (-),40%	Liero e	# mityl	ernel	(Contro	Ĺ	•	
Decoult A	coount			Fee	Foo	Fee	Fée	-	Fee Description	Fee Paid
Deposit Account			3	Code		Code			rge - late filling fee or ceth	
Munder Deposit				105	130	205			•	
ACCOUNT				127	50	227	25	Surche	rge - late provisional filing fee or theet	
	mer le cûtli	orized to: (check all that	eiphy)	139	130	139	130		nglish specification	
Charge fee(s			overpayments		2.520		2,520		ng a request for at parte reexamination	•
Charge any	eddijojiši je	e(s) during the pendancy	of this application	112	920*	112		Recus	miling-publication of SIR prior to	
		below, except for the fills	ig:feé	• • • • • • • • • • • • • • • • • • • •	-20				aling publication of SIR prior to ner action	
ie stove te				113	1,840	113	1,840*	Reque	niting midlication of SIR after	
		CALCULATION	لوروسيري ويروان والمحرور	948	110	215	35		alon for reply within first month	
	LNG FE		• • • • • • • • • • • • • • • • • • • •	118	400	210	200	Extens	ion for reply within second month	
Foo	Fee Fee	Fee Discription	e mar i malikara	117	920	217	480	Extern	sion for reply within third month	
(6)	Code (5)		Fee Pald	118	1,440	218	720	Extens	ion for rapty within fourth month	
740	201 370	Utility filling fee	385	128	1,980	228	980	Extent	alon for repty within fifth month	
X8 830	206 165	Design Ming fee		119	320	219	180		of Appeal	
77 510	207 255	Plant filing foo		120	320	***	180		s brief in support of an appeal	
740	208 370	Relative filling fee		121	260	221			et for oral hearing	
14 150	214 60	Provisional filing fee		130	1,510	1,	1,510	Petto	n to institute a public use proceeding	
		SUBTOTAL (1) (3)		140	110	240	65	Petitio	n to rëvive - unavoldable	
EXTRA C	LAM FE	ES FOR UTILITY A	ND REISSUE	141	1,280	241	640	Petitio	n-to:revive -unintentional	
		Fee:	Fee Pak		1,280	242	640	Usaty	leáde fee (or releade)	
del Claims dependent		20** = X		143	480	243	230	Deeig	n-lacue fee	
dependent Elme	· —	3 ×		144	820	244	310		isaue fee	
Littor Depen	ndent			122	130	122	130		ons to the Commissioner	
•	_			123	50	123	50		eeing fee under 37 CFR 1.17(q)	
eres Entry	Small End	<u>ity</u> • Fee:Description		128	180	126	180	,-	ission of Information Disclosure Simi	
ope (8)	Code (S			581	40	581	40	Recor	ding each patent malignment per ny (smae number of properties)	
03. 18	203 9				-		-		manuficiality wher that rejection	
02 84	202 42			148	740	245	3/0	(37°C	FR/§ 1.129(a))	
04 290	204 144			.140	740	240	370	For e	ech additional invention to be	ł
09 84	200 42	** Release independ over original pate		1					inid (37 CFR § 1.129(b))	
10 18	210 9			179	740	270	370		est for Continued Examination (RCE)	
	•	and over original	petent	100	900	150	900	Raq	uset for expecified signalination design application	
	_		s) 385	OE:	sr foo (epédif.	n	·		<u> </u>
	-				•			± e	BUBTOTAL (3) (S)	
at Anomber on Vicusity points. A production of the Control of the										
		toring Committee and a later was supported.	A STATE OF THE STA	A THERE					Complete Com	
one Greatin	Commercial Day	5.2.4		- ,		retor	No.			8-4020
	3		PIADES	#		d/da	1.4			1-010
	<u> </u>		HABIOT	<u> </u>	<u></u>	ويتأولون	دعد العلم		Pete 01	114
	W	ARNING: Mornedor	on the same	rey E	0.0		lic. Ci	edl c	erc (information) should not	•
	1	Included on the for	n Provide Cit	a a		W _{EE}		والاي بيد دمون	portzation on PTO 2038.	ny comments (
ruen Hour Si amount of (memorit; Th	required to complete the	form should be	en b	ne Ch			n Onc	w. U.S. Patert and Trackment Office.	Washington, D
231, DO NO	T SEND FEE	S OR COMPLETED FOR	MS TO THIS AD	DRESS	. SEN	D TO:	A	ent Con	por the reacts of the traditions case. A m. U.S. Patert and Tradement Office, missioner to Pateria, Washington, DC	20231.

BEST AVAILABLE COPY

TIMING GEAR FLEXIBLE COUPLING

BACKGROUND OF THE INVENTION

The invention comprises an intervening resilient member that is mounted between the hub of an engine timing gear and timing shaft rotatively mounted in the cylinder head of a disc valve engine. The resilient member serves as a flexible coupling between the timing gear and the timing shaft. Flexible couplings are most generally used to provide shaft torque flexibility under heavy starting loads or to offset shaft misalignment. The resilient member in the present invention, while providing flexibility under torque loads is used in a unique manner that constitutes the novelty of this invention. The resilient member provides a means of lowering peak friction loads at the sliding interface between a stationary stator surface and the surface of a rotating disc valve operating within the fluctuating pressure field of an engine combustion chamber.

Rotation of the said disc valve mounted within the engine combustion chamber periodically opens and closes a plurality of exhaust and intake ports in the stationary stator of the engine cylinder head in a sequential manner corresponding to the alternating order of the engine thermodynamic pressure cycle. The flexible coupling between the said timing gear and said timing shaft momentarily slows the rotational velocity of the disc valve during the highest peak pressure of the engine combustion stroke at the point of the ignition spike thereby reducing the sliding contact frictional energy between the disc and stator surfaces which is exponentially at its highest point during this brief period.

At the few milliseconds of peak combustion pressure ignition spike the resilient member between the hub of the said timing gear and said timing shaft is slightly compressed causing the said timing shaft to rotate slower than said timing gear for a brief instant over a small millisecond increment of rotation and thereby transmitting a slowing motion to the disc valve rotation. This slowing motion is hardly measurable, but at the molecular interface of the lubricating film between the surfaces in slidable contact the shearing impact across the said interface is lessened exponentially as a function of the contacting velocity. Absorption of peak torque loads on the timing shaft by the resilient member during the peak combustion pressures when the sliding contact friction between the disc valve and stator are highest will lessen wear between the two surfaces and lower the potential for galling.

The resilient member is an elastic material capable of fully responding over the engine operating frequency. Formulation of rubber resilient members with extenders or catalyst accelerators will stiffen the response in a manner that permits full recovery after each compression and will not couple with the engine's natural frequency. The resilient member may be manufactured from any material which has the physical properties of sustained response of rapid compression loads with rapid recovery and good storage durability and with long term fatigue capability under heavy load.

SUMMARY OF THE INVENTION

The invention is a flexible coupling comprising an intervening resilient member placed between the hub of a timing gear and the timing shaft of a rotary disc valve engine. At the peak of the combustion stroke, during the

ignition spike, the said resilient member is compressed to its fullest extent by the cylinder combustion pressure bearing against the outer surfaces of the said disc valve pushing it with greater force against the stationary stator mounted in the cylinder head. This causes the torque on the timing shaft to increase significantly as the sliding friction between the said disc valve and stator surface increase. The increase in torque of the timing shaft is partially stored in the resilient member and returned to the system when the cylinder pressure is lowered. Thus the rubbing friction between the said disc valve and said stator does not effect engine speed and acceleration to the same extent as a hard coupled system.

It is the primary objective of the invention to lower the compressive bearing load between the interfacing surfaces of the disc valve and stator during the combustion ignition pressure spike event and thereby reduce the shearing impact on the lubricating film within the said interface reducing the sliding friction at this point in the engine cycle.

It is yet another objective of the invention to lower the disc rotational friction load to quicken engine acceleration response.

BRIEF DESCRIPTION OF THE DRAWINGS

Drawings are presented which show the engine valve timing gear and its placement in the engine power train and the method of placing a resilient member between the said engine valve timing gear and the timing shaft to provide a flexible coupling with the engine disc valve.

Fig. 1 Shows the moving components of the engine power train and shows

the point of application of the timing gear flexible couple within the kinematic circuit between the engine crankshaft and disc valve.

Fig. 2 Is a frontal view of the disc valve timing gear showing the placement of a flexible member within the said disc valve hub as a flexible driving interface with the timing shaft.

Fig. 3 Is a partial cross-section of the timing gear and timing shaft rotatively mounted in the supporting frame of the engine crankcase.

Fig. 4 Is a perspective view of the resilient member comprising the flexural interface of the timing gear.

DETAILED DESCRIPTION OF THE INVENTION

The invention is a flexible coupling to be used in the opening and closing mechanism of a disc valve controlling the intake and exhaust flow circuits of an internal combustion engine.

Referring to FIG. 1 of the drawing sheet. FIG. 1 shows the moving components of the engine power train and shows the timing gear 1 and the timing gear hub 2 that holds a resilient member 3 (not shown) that is the flexural element of the timing gear 1 coupling. Timing gear 1 is rotatively mounted on timing shaft 4 which in turn is rotatively mounted in the supporting frame of an engine crankcase. Pinion bevel gear 7 is fixedly mounted at one end of timing shaft 4. Pinion bevel gear 7 engages bevel gear 8 which rotates disc valve 9 in circular sliding contact with stator 10 having a

plurality of exhaust ports 11 and intake ports 12. Rotation of disc valve 9 opens and closes the said plurality of exhaust ports 11 and intake ports 12 synergistically in a manner corresponding to the reciprocating translational position of piston 13 in the engine cyclic operating sequence. Piston 13, connecting rod 14 and crankshaft 15 rotating on journaled bearing surfaces 16 comprise the kinematic elements of a reciprocating four-bar system providing rotational movement to crankshaft 15. Crankshaft timing gear 17 is mounted on crankshaft 15 and transmits crankshaft 15 rotational motion to timing gear 1 indirectly through interconnecting driving chain 18 in the sequential manner described.

Those skilled-in-the-art will readily recognize the fact that pinion bevel gear 7 and bevel gear 8 can be replaced with a pinion worm gear and worm gear combination without effecting the novelty of the invention.

Referring now to FIG. 2. FIG. 2 is a frontal view of timing gear 1 showing hub 2, resilient member 3, timing shaft 4, said timing shaft 4 having a plurality of lateral members for engaging resilient member 3, and interconnecting driving chain 18.

Turning now to FIG. 3 showing the inner construction of timing gear 1 and its manner of rotative mounting upon timing shaft 4 and inhibiting this rotation by a resilient member placed between said timing gear 1 and timing shaft 4 coupling them together. Timing shaft 4 is rotatively mounted in needle bearing 19 held in frame 5 of the engine crankcase.

FIG. 4 is a perspective view of the resilient member 3. The outer surfaces of resilient member 3 in contact with timing gear hub 2 contain a plurality of outer sectors 20, in this instance four, which fit into hub 2 having similarly interfacing contours surfaces for securely holding it in said hub and

recessed niches 21 for engagement with the lateral members of the timing shaft 4.

5

3

CLAIMS

What is claimed is:

- 1. A timing gear for a disc valve engine, said timing gear having a hub aligned concentrically about its axis of rotation, said hub holding a resilient member fixedly secured by a plurality of matching interfacing sector contours configured in said resilient member and reversely contoured in said hub, said timing gear rotatively mounted on a timing shaft, said timing shaft comprising a bevel gear fixedly attached at one end and a plurality of lateral members fixedly attached at the opposite end, said lateral members passing through the center of said resilient member and in contact with a plurality of recessed niches in said resilient member.
 - 2. The timing gear of Claim 1 in which the said pinion bevel gear turning said bevel gear is a worm gear pinion turning a worm gear.
 - 3. The timing gear of Claim 1 in which the resilient member is manufactured from a natural rubber compound.
 - 4. The timing gear of Claim 1 in which the resilient member is compounded from a synthetic rubber.

ABSTRACT OF THE DISCLOSURE

The invention is a timing gear flexible coupling for operation of a disc valve rotatively mounted in an internal combustion engine cylinder head. Rotation of the disc valve periodically opens and closes a plurality of exhaust and intake ports in the stationary stator of the cylinder head in a sequential manner corresponding to the alternating order of the engine of the engine thermodynamic pressure cycle. The purpose of the flexible coupling is to momentarily slow the rotational velocity of the disc valve during the highest peak pressure of the engine combustion stroke during the ignition spike which exponentially reduces the rubbing contact frictional energy between the disc and stator. The primary purpose of the timing gear flexible coupling is to reduce the shearing impact across the lubricating film at the sliding interface between the disc valve and stationary stator comprising the engine intake and exhaust ports thereby decreasing frictional surface wear and permitting faster engine acceleration.

PTC/SEJ01 (10-01) Approved for use through 10/31/2002, CMB 0681-0022 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1996, no persons are required to respond to a collection of information unless it contains a wall Olife control number. Attorney Dacket Number DECLARATION FOR UTILITY OR THOMAS ACAPIADES . First Named Inventor **DESIGN** COMPLETE IF KNOWN PATENT APPLICATION (37 CFR 1.63) **Application Number** Filing Date Declaration Declaration Submitted after Initial **Submitted Art Unit** Filing (surcharge (37 CFR 1.16 (e)) with Initial Filma Examher Name required) As the below regued inventor, I hereby declare that: My residence, mailing address, and citizenship are as stated below next to my name. I believe I am the original and first inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: TIMING GEAR FLEXIBLE COUPLING. (Title of the invention) the specification of which is attached hereto was filed on (MM/DD/YYYY) es United States Application Number or PCT International Application Number and was amended on (MM/DD/YYYY) (if applicable). I hereby state that I have reviewed and understand the contents of the above Identified specification, including the claims, as amended by any amendment specifically referred to above. I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.50, including for confinuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT intermediate lifting date of the confinuation-in-part application. I/hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or (f), or 385(b) of any foreign application(e) for patent, inventor's or plant breader's rights certificate(e), or 385(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent, inventor's or plant (treeder's rights certificate(e), or any PCT international application having a filing date before that of the application on which priority is claimed. Prior Foreign Application Number(s) Foreign Filing Date (MMEDD/YYYY) **Priority** Certified Copy Attached? Country **Not Claimed** YES

[Page 1 of 2]

Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SS/029 attached herato:

Starton Hour Statement: This form is entimated to take 21 minutes to complete. Time will very depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Tradement Office, Whathington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Polants, Washington, DC 20231.

BEST AVAILABLE COPY

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application Correspondence address below **Customer Number** or l Direct all correspondence to: or Bar Code Label TON AGAPIATES Name 744 BRIDGE STREET Address ZIP 95991 CA YUBA CITY City 1-530-218-4020 Fax USA Telephone I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon. Country A petition has been filed for this unsigned inventor NAME OF SOLE OR FIRST INVENTOR: THOMAS AGAPIADES **Family Name Given Name** or Surname (first and middle [if any]) Date 02-19-04 Inventor's Signature GREECE Country USA Residence: City YUBA CITY CA Citizenship 744 BRIDGE STREET Mailing Address CA: Country USA ZIP 95911 State 155 YUBA CITY A petition has been filed for this unsigned inventor NAME OF SECOND INVENTOR: **Family Name** Given Name or Surname (first and middle [if any]) Inventor's Date Signature Citizenship Country State Residence: City **Mailing Address** Country ZIP _supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto. Additional inventors are being named on the

[Page 2 of 2]

Applicant or Patentee:		Attorney's
Filed or Issued:		Docket No.:
	ATEMENT (DECLARATION) CLAIMI CFR 1.9 (f) and 1.27 (b)) — INDEPEN	
poses of paying reduced fees under s	declare that I qualify as an independent in section 41 (a) and (b) of Title 35, United entitled	States Code, to the Patent and Tradema
(×) the specification filed herew	vith	•
application serial no.	, file	d
[] patent no.	, issued	
or license, any rights in the invention	to any person who could not be classified vention, or to any concern which would no	nder contract or law to assign, grant, conveit as an independent inventor under 37 CF or qualify as a small business concern under 37 CF or qualify as a small business concern under 37 CF or qualify as a small business concern under 37 CF or qualify as a small business concern under 37 CF or qualify as a small business concern under 37 CF or qualify as a small business concern under 38 CF or qualify as a small business concern under 38 CF or qualify as a small business concern under 38 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 39 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify as a small business concern under 30 CF or qualify a small business concern under 30 CF or qualify as a small bus
	to which I have assigned, granted, convet, convey, or license any rights in the in-	
M no such person, concern, or J persons, concerns or organization		
	statements are required from each name invention averring to their status as small	
THOMAS AG	APIAOE S	
IDDRESS 749 BAIDGE 57	BEET YUBA CITY CA. 9	
	I I SMALL BUSINESS CONCERN	
DDRESS		
[] INDIVIDUAL	(SMALL BUSINESS CONCERN	
ULL NAME		
DDRESS	1 I SMALL BUSINESS CONCERN	I I MONPROFIT ORGANIZATION
ent to small entity status prior to pa	application or patent, notification of any oping, or at the time of paying, the earlies a small entity is no longer appropriate. (thange in status resulting in loss of entitle- st of the issue fee or any maintenance fee 17 CFR 1.28 (b))
nd belief are believed to be true; and fund the like so made are punishable by	le herein of my own knowledge are true an inher that these statements were made with fine or imprisonment, or both, under sec nents may jeopardize the validity of the a nent is directed.	the knowledge that willful false statements tion 1001 of Title 18 of the United States
HOMAS AGAPIADES		
AME OF INVENTOR	NAME OF INVENTOR	NAME OF INVENTOR
The areas A-		
mature of Inventor (1)	Signature of Inventor	Signature of Inventor
nte	Date	Date




Fig.1




Fig · 4